



### TECHNICAL SPECIFICATION

TYPE	Servo Stabilizer
Capacity	3 Kva
Method Of Cooling	Air Cooled
Input Voltage Range	90 - 300 V
Input Frequency	50Hz+/-3Hz
Output Voltage	220 or 230 V +/-2%

## TECHNICAL SPECIFICATION

<b>TYPE</b>	<b>Servo Stabilizer</b>
<b>Capacity</b>	<b>3 Kva</b>
<b>Method Of Cooling</b>	<b>Air Cooled</b>
<b>Input Voltage Range</b>	<b>90 - 300 V</b>
<b>Input Frequency</b>	<b>50Hz+/-3Hz</b>
<b>Output Voltage</b>	<b>220 or 230 V +/-2%</b>
<b>Operating Temperature</b>	<b>45-50 dec C above Ambient</b>
<b>Relative Humidity</b>	<b>Upto 90%</b>
<b>Efficiency</b>	<b>Better Than 98%</b>
<b>Correction Speed</b>	<b>35V Per Second For Single Phase</b>
<b>Maximum Output Current</b>	<b>12 Amps</b>
<b>No-Load Current</b>	<b>&lt;2% Of Rated Current</b>
<b>Hi-Low Voltage Cut-off</b>	<b>Inbuilt</b>
<b>Display ( Input / Output )</b>	<b>Digital/Analog</b>